

I hereby certify that this correspondence is being deposited with the United States Postal Service as first class mail in an er addressed to. Commissioner For Patents. Washington, D.C. 20231 on 20 July 2001

Catherine U. Brown

Case 8035M

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In the Application of

CHESTER, ET AL.

Serial No.: 09/777,989

Group Art Unit: 2123

Filed: 6 February 2001

Examiner: unknown

Confirmation No.: 3218

Methods for Modeling, Predicting, and Optimizing High Performance Liquid

Chromatography Parameters

INFORMATION DISCLOSURE STATEMENT

Commissioner For Patents Washington, D.C. 20231

Dear Sir:

Pursuant to 37 C.F.R. §§ 1.56, 1.97 and 1.98, record is being made below in a Form PTO/SB08 of documents which the Patent Office may wish to consider in connection with examination of the aboveidentified patent application. It is respectfully requested that the cited documents be carefully considered by the Examiner and made of record in this case. As provided in §1.97(g), no representation is made or intended that a thorough art search was made. As provided in 37 C.F.R. §1.97(h), this Information Disclosure Statement does not constitute an admission of any kind, and specifically is not an admission that the documents listed on attached form PTO/SB08 are, or are considered to be, material to the patentability of the above-identified patent application, as defined in 37 C.F.R. §1.56(b).

1. 37 C.F.R. §1.97 (b)(1) - U.S. Direct (within 3-months of filing a regular application or converted provisional)

This information disclosure statement, submitted under 37 C.F.R. §1.97 (b)(1), is being filed within three months of the filing date of a national application. Therefore, no fee is believed to be due.

2. 37 C.F.R. §1.97 (b)(2) - Via PCT (within 3 mo. of Nat'l Stage Entry)

This information disclosure statement, submitted under 37 C.F.R. \$1.97 (b)(2), is being filed within three months of the date of entry of the national stage as set forth in 37 C.F.R. §1.491 in an international application. Therefore, no fee is believed to be due.

3. [X] 37 C.F.R. §1.97 (b)(3) - (>3 mo. after filing direct or nat'l stage entry, but before 1° O.A.)

This information disclosure statement is being submitted under 37 C.F.R. §1.97 (b)(3). Applicants have not received an Office Action on the merits in the present application. Therefore, no fee is believed to be due. However, in the event that this paper is crossing in the mail with a first Office Action on the merits, authorization is hereby given to charge the required fee pursuant to 37 C.F.R. §1.97(c) and 37 C.F.R. §1.17(p) to Deposit Account No. 16-2480 in the name of The Procter & Gamble Company. A duplicate of this letter is enclosed to facilitate charging of the fee, if necessary.

THE FOLLOWING IS ADDITIONAL INFORMATION PERTAINING TO (2) OR (3) MARKED WITH AN (X) ABOVE.

- (a) [] The Notification of Acceptance of this Application Under 35 U.S.C. §371 indicates that both a copy of the International Search Report and copies of the references cited therein are present in the national stage file. In accordance with MPEP §1893.03(g), it is respectfully requested that the Examiner note the consideration of these references in the first Office Action via the PTO-892 form.
- (b) [] The Notification of Acceptance of this Application Under 35 U.S.C. §371 indicates that a copy of the International Search Report is present in the national stage file. Copies of the references cited in that report are enclosed.
- (c) The Notification of Acceptance of this Application Under 35 U.S.C. §371 does <u>not</u> indicate that a copy of the International Search Report and copies of the references cited are present in the national stage file. Copies of the International Search Report and references are attached.
- 4. [] 37 C.F.R. §1.97 (b)(4) (before the mailing of a first Office Action after the filing of a request for continued examination under §1.114)

This information disclosure statement, submitted under 37 C.F.R. §1.97(b)(4), is being filed with the Request for Continued Examination (RCE) under 37 C.F.R. §1.114.

5. Information to be Considered with CPA Filing. This information disclosure statement is being filed with a Continued Prosecution Application (CPA) filed under 37 CFR 1.53(d).

6.		37 C.F.R. §1.97(c) with fee payment - (use after 1st Office Action & before Final Office
Action	or Noti	ice of Allowance)

This information disclosure statement is being submitted under 37 C.F.R. §1.97(c). Applicant(s) have not received a final action under 37 C.F.R. §1.113, a notice of allowance under 37 C.F.R. §1.311, or an action that otherwise closes prosecution in the application (e.g., Ex parte Quayle) as of the date of this submission. Applicant(s) elect to pay the fee set forth in 37 C.F.R. §1.17(p). Please charge the fee set forth in 37 C.F.R. §1.17(p) to Deposit Account Number 16-2480 in the name of The Procter & Gamble Company. A duplicate copy of this letter is enclosed to facilitate the charging of the fee.

ADDITIONAL ITEMS TO BE NOTED BY THE EXAMINER:
[] (1) Copies of the cited references were previously cited by or submitted to the USPTO in prior application Case No, U.S. Patent Application Serial No, filed Applicants claim priority to said application under 35 U.S.C. §120. Accordingly, copies of those documents are not provided with this Statement, pursuant to 37 C.F.R. §1.98(d).
OR
[X] (2) Copies of the cited documents are enclosed.
OR
Copies of all said documents, except document No.'s, were submitted and considered in parent application U.S. Patent Application Serial No, filed Applicant(s) claim priority to said application under 35 U.S.C. §120. Accordingly, copies of document No.'s are not provided with this Statement, pursuant to 37 C.F.R. §1.98(d). Copies of document No.'s are enclosed. It is respectfully requested that the cited documents be
carefully considered by the Examiner and made of record in this case.
Pursuant to 37 C.F.R. §1.98(c), a concise explanation of the relevance of each cited reference that is not in the English language is provided.
(5) Applicants also respectfully request the Examiner to consider and make of record the copending applications listed on the attached page.

Additional information is attached.

Respectfully submitted,

ع<u>ر ک</u>

Catherine U. Brown Attorney for Applicants Registration No. 44,565 (513) 627-1637

20 July 2001 Miami Valley Laboratories P.O. Box 538707 Cincinnati, Ohio 45253-8707 (Last Revised 5/3/01)

[]



PTO/SB08A (08-00)
Approved for use through 10/31/2002 OMB 0651-0031
Patent and Trademark Office; U. S. DEPARTMENT OF COMMERCE

Substitute for form 1449A/PTO	COMPLETE IF KNOWN		
	Application Number	09/777,989	
INFORMATION DISCLOSURE	Confirmation Number	3218	
STATEMENT BY APPLICANT	Filing Date	6 February 2001	
(use as many sheets as necessary)	First Named Inventor	Chester	
	Group Art Unit	2123	
	Examiner Name	unknown	
SHEET 1 of 5	Attorney Docket Number	8035M	

U. S. PATENT DOCUMENTS

EXAMINER INITIALS"	Cite No. ¹			U.S. PATEN Number	NT DOCUMENT Kind Code ² (# known)	Name of Patentise or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear
			ļ					
·								

FOREIGN PATENT DOCUMENTS

EXAMINER INITIALS*	Cite No.1	FOR Office ³	EIGN PATENT I Number ⁴	XOCUMENT Kind Code ⁵ (if known)	Name of Paterities or Applicant of Cited Document	Date of Publication of Cited Document MM-DD-YYYY	Pages, Columns, Lines Where Relevant Passages or Relevant Figures Appear	T ⁴
]				
						7.7.	† · · · · · · · · †	
				· · · · · · · · · · · · · · · · · · ·				
					 	7	+	
	<u> </u>		· · · · · · · · · · · · · · · · · · ·				 	

OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS

EXAMINER INITIALS*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	۲°
	1	R.D. SMITH, E.G. CHAPMAN, AND B.W. WRIGHT, "Pressure Programming in Supercritical Fluid Chromatography," Analytical Chemistry, 57: (14) pp. 2829-2836 (1985)	
	2	H. SNIJDERS, H.G. JANSSEN, AND C. CRAMERS, *Optimization of termperature-programmed gas chromatographic separations. 1. Prediction of retention times and peak widths from retention indices,* <u>Journal of Chromatography A</u> . 718: (2) pp. 339-355 (Dec. 22, 1995)	
	3	J.C. GIDDINGS, Unified Separation Science, John Wiley & Sons, Inc. New York (1991)	
	4	R.G. WOLCOTT, J.W. DOLAN, AND L.R. SNYDER, "Computer simulation for the convenient optimization of isocratic reversed-phase liquid chromatographic separations by varying temperature and mobile phase strength," Journal of Chromatography A, 869, pp. 3-25 (2000)	
	5	L.R. SNYDER, J.W. DOLAN, AND J.R. GRANT, J. Chromatogr., 165, (1979) 3	
	6	P.J. SCHOENMAKERS, "Optimization of Chromatographic Selectivity, a Guide to Method Development," <u>J.</u> Chromatography Library, 35 (1986)	
	7	H. MARTENS AND T. NAES, Multivariate Calibration, ISBN 0-471-90979-3, John Wiley & Sons, Ltd., Chichester (1989)	
	8	R. PERSON, Special Edition Using Excel for Windows 95, QUE, Ch. 29, pp. 838-853	

	E. J. BILLO, Excel for Chemists: A Comprehensive Guide, Wiley-VCH, New York, Ch. 17, pp. 287-300 (1997)	
	P. BLATTTNER ET AL., Special Edition Using Microsoft Excel 2000, QUE, Ch. 22, pp. 646-659 (1998)	
1	1 Co., Viney, p. 392-354 and	
1	pp. 439-478 (1997) 2 ATWOOD AND GOLAY, J. Chromatogr., 218, pp. 97-122 (1981)	
1		
1		
1	13. 7.0. (10.2)	
1	The state of the s	
- 1	New York, P. 90 (1973)	
1	The state of a spread line of a spread l	
	50, No. 1/2, July, 1999, pp. 65-69 ISSN: 0009-5893	
1	Splintzation of glacosinolate separation by fillcellar	
1	electrokinetic capillary chromatography using a Doehlert's experimental design," <u>J. Chromatography A</u> , 864 (1999)	
	155-162	
1	The second of the separation o	
	dichloroanilines in ion interaction high performance liquid chromatography, J. Chromatography A, 863, (1999) 1-11	
2	The state of the s	
	of pore structure from pore network model analysis and comparison with columns packed with porous spherical	
	particles," J. Chromatography A, 865 (1999) 13-25	
2	The state of the concentration of the analysis time and the concentration detectability in	
	open tubular liquid chromatography," J. Chromatography A. 867 (2000) 23-43	
2:		
	conditions in high-performance liquid chromatography." J. Chromatography A, 868 (2000) 13-29	
2:	The second of th	
	solvent composition and pH of the mobile phase," J. Chromatography A, 869 (2000) 27-39	
24		
-	determination of caffeine, 8-chlorotheophylline and diphenhydramine by isocratic high-performance liquid	
	chromatography Stress test for stability evaluation," J. Chromatography A, 870, (2000) 97-103	
2	The state of the s	
ŀ	for the determination of biogenic amines in wines by reversed-phase high-performance liquid chromatography," J.	
	Chromatography A, 871 (2000) 75-83	
26	or of the contract of the cont	
	Validation of an iterative scheme and its use as a methods development tool," <u>J. Chromatography A</u> , 876 (2000)	
	51-62	
27	The state of the s	
	displacement separations on various ion-exchange resins." J. Chromatography A, 876 (2000) 63-73	
28	- India Chicken Time Chicken Time Chicken Chic	
	enantioseparation of N-protected alpha amino acids using nonporous silica modified by a quinine carbamate as	
	chiral stationary phase, Lab of Analytical Chemistry, University of Namur, Namur, Belg. Chriality (1997), 9(2), 157-	
	161 ISSN: 0899-0042	
29	The second of th	
	Kuromatogurafi, (1995) 16(4). 278-9 ISSN: 0917-3048	
30	The state of the s	
	reversed-phase gradient elution. Accuracy of computer simulation for predicting retention and band width," J.	
	<u>Chromatogr.</u> , (1989) 485, 657-72 ISSN: 0021-9673	
31	The state of the s	
]	performance liquid chromatography method development I. Application to 14 different samples using computer	
	simulation." J. Chromatogr. A. (1998) 803(1 + 2), 1-31 ISSN: 0021-9673	
32	M. LAEMMERHOFER, ET AL.: "Computerized optimization of the high-performance liquid chromatographic	
	enantioseparation of a mixture of 4-dinitrophenyl amino acids on a quinine carbamate-type chiral stationary phase	
	using DRYLAB.* J. Chromatogr. B: Biometd. Appl. (1997) 589(1), 123-135 ISSN: 0378-4347	
33	T.H. DZIDO, A. SORY, "Computer optimization for RP-HPLC separation of some nucleosides." Chem. Anal.	
	(Warsaw) (1996), 41(1), 113-120 ISSN:0009-2223	
34	R. DAEPPEN, I. MOLNAR, "Application of the gradient elution technique: demonstration with a special test mixture	
1	and the Delick Old and the state of the stat	
	and the DryLab G/plus method development software,* J. Chromatogr. (1992), 592(1-2), 133-141 ISSN: 0021-	

• • • •

٠.

	35	R.C. CHLOUPEK, W.S. HANCOCK, L.R. SNYDER, "Computer simulation as a tool for the rapid optimization of	
		high-performance liqid chromatographic separation of a tryptic digest of human growth hormone," J. Chromatogr.	
		(1992), 594(1-2), 65-73 ISSN: 0021-9673	
,	36	P.A. RYAN, B.A. EWELS, J.L. GLAJCH, "Separation and detection of oxidation products in Neurolite raw material,"	
		J. Chromatogr. (1991), 550(1-2), 549-558 ISSN: 0021-9673	
•	37	T.H. DZIDO, E. SOCZEWINSKI, J. GUDEJ, *Computer aided optimization of high-performance liquid	
	ĺ	chromatographic analysis of flavonoids from some species of the genus Althaea," <u>J. Chromatogr.</u> (1991) 550(1-2).	
		71-6 ISSN: 0021-9673	
	38	J. FULPER, "Practical approach for high-performance liquid chromatographic method development: assaying	
	-	synthetic intermediates of a leukotrinene inhibitor," J. Chromatogr. (1989), 485, 597-605 ISSN: 0021-9673	
	39	P.B. BOWMAN, ET AL., "Liquid chromatography solvent optimization: potential pitfalls when using a black box for	
	+	developing a quality separation.* J. Pharm. Biomed. Anal., (1993), 11(11-12), 1295-1301 ISSN: 0731-7085	
	40	R. FAULSTICH, T. CATALANO, "Interactive computer optimization of high performance liquid chromatography	
·	+	separations in pharmaceutical analysis," <u>LC-GC</u> , (1991), 9(11), 776, 778-779 ISSN: 0888-9090	
·	41	P.B. BOWMAN, ET AL., "Automated HPLC optimization-not all systems are the same," J. Pharm. Biomed. Anal.	
	+	(1993), 11(11-12), 1303-15 ISSN: 0731-7085	
:	42	K. OUTINEN, V.M. LEHTOLA. H. VUORELA, "Behavior of resolution by changing solvent strength and selectivity	
i		in the 'PRISMA' model using reversed-phase HPLC for biogenic amines," J. Pharm. Biomed. Anal. (1997), 15(6),	
	+	819-829 ISSN: 0731-7085	
* *	43	K. OUTINEN, ET AL., "Optimization of selectivity in high-performance liquid chromatography using desirability	
	+44	functions and mixture designs according to prisma, "Eur. J. Pharm. Sci. (1998), 6(3), 197-205 ISSN: 0928-0987	
	44	K. OUTINEN, H. VUORELA, R. HILTUNEN, 'The retention behavior of biogenic amines in the 'PRISMA' model	
1	45	using reversed-phase HPLC," Acta Pharm. Fenn. (1992), 101(1), 11-20 ISSN: 0356-3456 S. NYIREDY, W. WOSNICK, H. THIELE, O. STICHER, "PRISMA" model for computer-aided HPLC mobile phase	
	43	optimization based on an automatic peak identification approach," <u>J. Lig. Chromatogr.</u> (1991), 14(16-17), 3077-	
1		3110 ISSN: 0148-3919	
	46	C. GEIGER, H. RIMPLER, "OPTISOLVE" - a PC-program for solvent optimization in liquid chromatography. Part	
		1," GIT Fachz. Lab. (1990), 34(11), 1391-2, 1395-7 ISSN: 0016-3538	'
i	47	S.J. ZIEGLER, O. STICHER, "Optimization of the mobile phase for HPLC separation of S-alk(en)yl-L-cysteine	
i		derivataives and their corresponding sulfoxide isomers," J. Lig. Chromatogr. (1989), 12(1-2), 199-220 ISSN: 0148-	
! 	<u> </u>	3919	
9	48	R. CELA, ET AL., "PREOPT-W: off-line optimization of binary gradient separations in HPLC by simulation – IV.	
-	<u>. </u>	Phase 3," Comput. Chem. (1996). 20(3), 315-330 ISSN: 0097-8485	
i	49	R. CELA, M. LORES, *PREOPT-W: a simulation program for off-line optimization of binary gradient separations in	
İ		HPLC – II. Data management and miscellaneous aspects of use," Comput. Chem. (1996), 20(2), 193-202 ISSN:	
		0097-8485	
	50	R. CELA, ET AL., 'The PREOPT package for pre-optimization of gradient elutions in high-performance liquid	
		chromatography. Anal. Chim. Acta (1986), 191, 283-297 ISSN: 0003-2670	
1	51	R. CELA, M. LORES, "PREOPT-W: a simulation program for off-line optimization of binary gradient separations in	
.	+	HPLC – I. Fundamentals and overview, * Comput. Chem. (1996), 20(2), 175-91 ISSN: 0097-8485	
t 4	52	S.D. PATTERSON, "Use of solvent selectivity optimization procedures for high-performance liquid	
·	62	chromatographic method development," J. Chromatogr. (1992), 592(1-2), 43-9 ISSN: 0021-9673	
•	53	M. SOLFRIZZO, ET AL., "Separation of chlamydosporol epimers by reversed-phase HPLC using commercial solvent optimization software." Chromatographia, (1994) 39(7/8), 443-7 ISSN: 0009-5893	
	54		
	~	G. D'AGOSTINO, ET AL., "Optimization of the mobile phase composition in gradient elution reversed-phase HPLC by stochastic prediction," Chromatographia , (1988) 25(4), 343-9 ISSN: 0009-5893	
-	55	K. LEMR, "Computerized optimization of the mobile phase in RP-HPLC," Chem. Listy (1992), 86(11), 850-4 ISSN:	
•	33	0009-2770	
	56	P. JAGELAND, ET AL., "Optimization of industrial-scale high-performance liquid chromatography applications	
		using a newly developed software." J. Chromatogr. (1994). 658(2), 497-504 ISSN: 0021-9673	
	57	C. BRYANT, ET AL., "Using inductive logic programming to discover knowledge hidden in chemical data,"	
		Chemom. Intell. Lab. Syst. (1997), 36(2), 111-123 ISSN: 0169-7439	
	58	S. HEINISCH, ET AL., "Computerized optimization of RP-HPLC separation with nonaqueous or partially aqueous	
		mobile phases, Chromatographia, (1997), 44 (9/10), 529-537 ISSN: 0009-5893	İ
	59	B. BOURGUIGNON, ET AL.: CRISEBOOK, a Hypermedia version of an expert system for the selection of	
		optimization criteria in high-performance liquid chromatography," J. Chromatogr. (1992), 592(1-2), 51-7 ISSN:	
		0021-9673	

60	J. MARTINEZ-VIDAL, ET AL., "A new sequential procedure for the efficient and automated location of optimum	
ŀ	conditions in high performance liquid chromatography (HPLC). J. Liq. Chromatogr., (1995), 18(15), 2969-89	
 	ISSN: 0148-3919	\perp
61	C.T. MANT. ET Al., "Reversed-phase chromatographic method development for peptide separations using the	
	computer simulation program ProDigest-LC," J. Chromatogr., (1989), 485, 365-82 ISSN: 0021-9673	\perp
62	R.S. HODGES, ET AL., "Computer simulation of high-performance liquid chromatographic separations of peptide	
	and protein digests for development of size-exclusion, ion-exchange, and reversed-phase chromatographic	
-	methods." J. Chromatogr., (1988), 458, 147-67 ISSN: 0021-9673	
63	S.G. LISSETER, "A PASCAL program for the optimization of ternary mobile phases for reversed-phase high	T
	performance liquid chromatography, "Lab. Microcomput. (1990). 9(4). 109-15 ISSN: 0262-2955	
 64	J. WEI, J. WEI, X. ZHOU, "Computer-aided optimization of the experimental conditions for the isocratic reversed-	T
••	phase high-performance liquid chromatographic separation of hormonal steroids, "J. Chromatogr. (1991), 552(1-2),	1
	103-11 ISSN: 0021-9673	
- 66		+-
65	J. WEI, J. WEI, X. ZHOU, "Optimization of an isocratic reversed phase liquid chromatographic system for the	1
į į	separation of fourteen steroids using factorial design and computer simulation," <u>Biomed. Chromatogr.</u> (1990), 4(1),	
	34-8 ISSN: 0269-3879	┼
66	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, *Computer-aided optimization with photodiode array detection in	
 	HPLC," Anal. Proc. (London) (1988), 25(9), 300-3 ISSN: 0144-557X	L
67	T. O'DWYER, P. DELAND, R. SMITH, *Optimization of HPLC separations through distributed intelligence using a	
 	PC." Am. Lab. (Fairfield, Conn.) (1988), 20(6), 40, 42-4, 46-8, ISSN: 0044-7749	L
68	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Sequential simplex optimization and multichannel detection in HPLC:	
	application to method development," Chromatographia, (1987), 24, 533-40, ISSN: 0009-5893	L
 69	R. ANDERSSON, M.D. HAEMAELAEINEN, "Simplex focusing of retention times and latent variable projections of	Γ
	chromatographic profiles," Chemom. Intell. Lab. Syst. (1994), 22(1). 49-61 ISSN: 0169-7439	
70	A.G. WRIGHT, A.F. FELL, J.C. BERRIDGE, "Strategies for automated optimization of high-performance liquid	\top
	chromatographic separations incorporating diode-array detection." J. Chromatogr. (1988), 458, 335-53 ISSN: 0021-	
	9673	1
 71	O. BUSTO. J.C. OLUCHA, F. BORRULL, "Determination of phenolic compounds in water by HPLC by linear	T
''	gradient. An optimized method.," <u>Chromatographia</u> , (1991), 32(9-10), 423-8 ISSN: 0009-5893	
72		H
/2	R.P. TUCKER, ET AL., "Computer-aided models for optimization of eluent parameters in chiral liquid	
 70	chromatography," Chirality, (1992) 4(5), 316-22 ISSN: 0899-0042	╁
73	H. J. METTING, P. M. COENEGRACHT, M. J. PIERRE, "Neural networks in high-performance liquid	
	chromatography optimization: response surface modeling," <u>J. Chromatogr. A</u> , (1996), 728(1 + 2), 47-53 ISSN:	
 	0021-9673	┼
74	E.P. LANKMAYR, ET AL., "Computer-aided optimization of high-performance liquid chromatography in the	
 	pharmaceutical industry," J. Chromatogr. (1989), 485, 183-93 ISSN: 0021-9673	╀
75	C. P. ONG, ET AL., "Use of overlapping resolution mapping scheme for optimization of the high-performance liquid	l
 	chromatographic separation of pharmaceuticals," <u>J. Chromatogr. A.</u> (1995), 692(1 + 2), 207-12	L
76	G. FAN. ET AL., "Optimization of reversed-phase liquid chromatographic separation of aromatic acids," Sepu	
	(1988). 6(4). 220-2	
77	O.A. QUATTROCCHI, L. IMPERIALE, "Optimization of HPLC methods," SAFYBI (1991), 31(84), 37-60 ISSN:	
	0558-1265	L
78	W. YUAN. ET AL., "An automatic optimization procedure in multistage gradient elution," Sepu (1985), 2(6), 335-8	Г
79	C. ZHOU. ET AL., "Optimization of the composition of a binary mobile phase in RP-HPLC by computer statistical	
	mapping procedure, "Fenxi Ceshi Tongbao (1990), 9(2), 52-6 ISSN: 1000-3800	
80	D. BYLUND. ET AL., "Optimization of chromatographic separations by use of a chromatographic response	t
"	function, empirical modeling, and multivariate analysis, *Chromatographia, (1997), 44(1/2), 74-80 ISSN: 0009-	
	5893	
 - 01		\vdash
81	H. MO, B DENG, "Optimization of separation conditions for mixtures of phenols by high-performance liquid	ļ
 	chromatography using artificial neural network," Fenxi Huaxue (1995), 23(7), 779-82 ISSN: 0253-3820	\vdash
82	R. LYNCH. ET AL., "Solvent optimization system for HPLC applications," <u>LaborPraxis</u> (1990), 14(12), 1028, 1030-2	İ
 	ISSN: 0344-1733	<u> </u>
83	F. GONG. ET AL., "An improved algorithm of sequential number-theoretic optimization (SNTO) based on clustering	l
	technique." Chemom. Intell. Lab. Syst. (1999), 45(1,2), 339-346 ISSN: 0169-7439	L
 84	P. CHAMINADE, ET AL., "Use of the cubic spline interpolation algorithm for the selection of optimal ternary mobile	
	phase composition in RP-HPLC," <u>Analusis</u> (1994) 22(2), 55-7 ISSN: 0365-4877	
 85	B. BOURGUIGNON, ET AL., "Optimization in irregularly shaped regions; pH and solvent strength in reversed-	
"	phase high-performance liquid chromatography separations," <u>Anal. Chem.</u> (1994), 66(6), 893-904 ISSN: 0003-	
1	Final man Pariamana natura antenara arabita departuturis, <u>mini, diterit,</u> (1994), 00(0), 090-904-19014, 00005-	!

(

(

	86	P.F. DE AGUIAR, ET AL., "Comparison of models and designs for optimization of the pH and solvent strength in	
		HPLC," Anal. Chim. Acta, (1997) 356(1), 7-18 ISSN: 0003-2670	
	87	C. GERTZ, W. FELLMANN, "Simple procedure for optimizing multicomponent mobile phases in high-performance	
·		liquid chromatography," Fresenius' Z. Anal. Chem. (1986) 323(4), 343-9 ISSN: 0016-1152	
	88	Q. WANG, R. GAO, B. YAN, "Integration of computer-assisted statistical scanning optimization system in HPLC,"	
		Chin. J. Chem. (1996), 14(1) 40-7 ISSN: 1001-604X	
	89	B.A. OLSEN, M.D. ARGENTINE. "HPLC method development for duloxetine hydrochloride using a combination of	
	1	computer-based solvent strength optimization and solvent selectivity mixture design," J. Liq. Chromatogr. Relat.	
		<u>Technol.</u> (1996). 19(12), 1993-2007 ISSN: 1082-6076	
	90	Y. BABA, "Computer-assisted retention prediction for high performance liquid chromatography in the in-exchange	
		mode," J. Chromatogr. (1989), 485, 143-68 ISSN: 0021-9673	
	91	R. CELA, J.A. MARTINEZ, "Off-line optimization in HPLC separations," Quim. Anal. (Barcelona) (1999), 18(1), 29-	
		40 ISSN: 0212-0569	
	92	S. HATRIK, ET AL., "Use of a threshold criterion in the computer-assisted optimization of chromatographic	
		separations." J. Chromatogr. A. (1994), 665(1), 9-15	
	93	P. JANDERA. "Optimization of gradient elution in normal-phase high-performance liquid chromatography," J.	
		<u>Chromatogr. A</u> (1998), 797(1 + 2), 11-22 ISSN: 0021-9673	
	94	S.D. WEST. The prediction of reversed-phase HPLC retention indexes and resolution as a function of solvent	
ļ	 	strength and selectivity," J. Chromatogr. Sci. (1987), 25(3), 122-9 ISSN: 0021-9665	
	95	P. LU, H. HONGXIN, "An intelligent search method for HPLC optimization." <u>J. Chromatogr. Sci.</u> , (1989). 27(12),	
		690-7 ISSN: 0021-9665	
	96	R. KYSILKA, M. WURST, "Optimized determination of indole derivatives by high-performance liquid	
		chromatography with selective detection," J. Chromatogr., (1988), 446, 315-21, ISSN: 0021-9673	
	97	B. LIN, W. LIU, P. LU, D.L. MASSART, M. DESMET, B. KOPPENHOEFER, "The simulation and optimization of	
	 	gradient elution HPLC," Sci. China, Ser. B (1992), 35(9), 1056-66 ISSN: 1001-652X	
	98	M.A. STADALIUS, H.S. GOLD, L.R. SNYDER, "Optimization model for the gradient elution separation of peptide	
		mixtures by reversed-phase high-performance liqid chromatography. Verification of band width relationships for	
	+	acetonitrile-water mobile phases," J. Chromatogr. (1985), 327, 27-45 ISSN: 0021-9673	
	99	Y. BABA, ET AL., "Effect of column temperature on high-performance liquid chromatographic behavior of inorganic	
	1	polyphosphates. II. Gradient ion-exchange chromatography," <u>J. Chromatogr.</u> (1985), 350(1), 119-25 ISSN: 0021-	
	100	9673	
	100	H. ZOU, Y. ZHANG, P. LU, "The prediction of peak width at half height in HPLC," Chin. J. Chem. (1991), 9(3), 237-44	
	101	N. LUNDELL, *Implementation and use of gradient predictions for optimization of reversed-phase liquid	
	ļ	chromatography of peptides. Practical considerations," J. Chromatogr. (1993), 639(2), 97-115 ISSN: 0021-9673	
	102	M. KAISER, "HPLC optimization of the separation of explosives and propellant components with an octadecyl	
		phase by computer simulation, Propellants, Explos., Pyrotech. (1997), 22(6), 321-325 ISSN: 0721-3115	

EXAMINER

DATE CONSIDERED

EXAMINER: Initial if reference considered, whether or not citation is in conformance with M.P.E.P. 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹Unique citation designation number. ²See attached Kinds of U.S. Patent Documents. ³Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). ⁴For Japanese documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. ⁵Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. ⁶Applicant is to place a check mark here if English language Translation is attached.

Burden Hour Statement: This form is estimated to take 2.0 hours to complete. Time will vary depending upon the needs of the individual case. Any comments on the amount of time you are required to complete this form should be sent to the Chief Information Officer, Patent and Trademark Office, Washington, D.C. 20231. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: Commissioner for Patents, Washington, D.C. 20231.